



Multi-surface polish and finishers

MIRACLE MARBLE

Enhancer.

Make your flooring a masterpiece

- ◆ **MASTICS**
- ◆ **EPOXY**
- ◆ **SEALER**

PRODUCT CATALOGUE

Multi-surface polish and finishers

- ◆ **CLEANER &
STAIN REMOVER**
- ◆ **POLISH**



DUSH MASTICS



DUSH MASTICS CRISTALLO - A



DUSH MASTICS LITE

DESCRIPTION

DUSH MASTICS is a unique product fills and cover holes of any size in Natural Marble. It is an ideal binding material that lends high gloss to a marble surface or any other natural stone. It is available in various colours to match the best possible shade as per the marble. It has strong binding power, is easy to apply and gives very good polish. Available forms are solid, semi solid and liquid which makes is very easy for the applicator to use.

SIZES

1000 ml

COLORS

White /
Cream / Red / Black /
Green / Transparent / Crystal

AREA OF USE

Marble & Granite

INSTRUCTIONS TO USE

Clean and dry the exterior surface of the stone.

Stains, dust and marks should be wiped out.

To use the filler, blend the two parts called 'glue' and 'catalyst (2%).'

The blended mixture should be applied immediately to cover the joints and holes.

Let the filler set for 4 hours and polish the flooring to get a pristine exterior.





DUSH RESINA 1610 - CRYSTAL RESIN

DESCRIPTION

DUSH RESINA 1610 is a crystal resin for filling and repairing of marble, granite and natural stone.

Dush Resina 1610 a compound made of unsaturated polyester Orth phthalic modified resin condensed with standard glycol and pre-accelerated with hardener. The preparation has good characteristics of chemical mechanical resistance, brightness and stability after hardening. The Dush Resina 1610 is used for stuccoing and gluing of marble slabs, stones, agglomerated, travertine and so on. It can also be diluted with monomer styrene (5% - 10% in weight in the compound) in order to improve the spreading and impregnation on the marble surface. Further quantity of styrene can be added only upon a trial application, since some characteristics of the preparation can be affected. Colouring pastes or similar pigments slightly affecting the colour toning of the preparation can also be added.

INSTRUCTIONS TO USE

Clean the surface of stone of all dust and dirt and make it completely dry.

Take required quantity of 'resin' and add '1% to 3% catalyst' depending on usage conditions.

Mix the two components well.

Apply the mixture on the joints and holes to get a perfect surface.

SIZES 

5 Kg
25 Kg

COLORS 

Crystal

AREA OF USE 

Marble & Granite



DUSH RESINA 2604 - TRANSPARENT RESIN

DESCRIPTION

DUSH RESINA 2604 is the perfect solution as a transparent resin. Its main use is in travertine stone. Its application is good for other natural stones like marble and granite. It has the ability to be pigmented and can be matched to any shade of the marble as it has the polyester pigment as its main component.

INSTRUCTIONS TO USE

Clean the surface of natural stone of all dust and dirt.

Surface should be completely dried.

Take required quantity of 'resin' and add '1% to 3% catalyst' depending on usage conditions.

Mix the two components well and apply to get a perfect surface.

SIZES 

5 Kg
25 Kg

COLORS 

Transparent

AREA OF USE 

Marble & Granite



DUSH EPO-GEL - CLEAR EPOXY ADHESIVE

DESCRIPTION

DUSH EPO-GEL is highly recommended for bringing pristine quality to the white marble installation. It is a solvent free dual component adhesive for joints & holes, due to its high-quality binding power it makes joints water proof, and doesn't turn its color.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Make a fine paste by mixing components marked 'A' and 'B' on 100:50 ratio.

Apply immediately on the surface and allow 3-4 hours for drying.

Continue further process.

SIZES 

2.250 Kg Set

COLORS 

Crystal

AREA OF USE 

Marble



DUSH BIANCO MASTICI - CRYSTAL EPOXY ADHESIVE

DESCRIPTION

DUSH BIANCO MASTICI is the appropriate gluing solution created for clear white marble. This high grade gel is well known for its color matching to marble and makes joint very invisible for a longer duration. Marbles surface come alive after its applications.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Make a fine paste by mixing components marked 'A' and 'B' on 100:50 ratio.

Apply immediately on the surface and allow 3-4 hours for drying.

Continue further process.

SIZES 

2.250 Kg Set

COLORS 

Crystal Clear

AREA OF USE 

Marble



DUSH EPOXY GROUT DH-10

DESCRIPTION

DUSH EPOXY GROUT DH-10 is a special formulation for grouting floors & walls of vitrified-ceramic tiles, natural stone tiles, & mosaic. The grouting between tile is required to give the desired shade & color to joints, also protect joints from dust & stain. Epoxy Grout DH-10 also works as water proof agent for the joints, it stops dampness, leakage from joints. It is recommended in tile joints for gap between 3 to 10mm for floor & walls.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Blend 'Resin A' and 'Hardener B' in a ratio of 2.5:1 to a uniform consistency.

Add 'Filler Powder C' to the mixture to form a paste.

Apply on the cracks and holes on the surface for a perfect finish.

Allow sufficient time for drying.

SIZES 

5.5 Kg

COLORS 

40 Colors
(Refer Color Chart)

AREA OF USE 

Vitrified & Ceramic tiles



DUSH ARENA DUO - PU ADHESIVE

DESCRIPTION

DUSH ARENA DUO is two-component adhesive. This adhesive is recommended for high level adhesion between Marble – Granite – Natural Stone to wood, plywood, glass & metal surface. Special feature of this adhesive is easy to use, makes work faster and gives a neat job.

INSTRUCTIONS TO USE

Do not spread adhesive more than 1 sqm at a time, Install the stone on spread bed and continue further area.

Apply the mixed adhesive combination to the required depth (between 2 -8mm) using a suitable trowel.

Press the tiles gently into position with a slight twisting action, checking periodically that good contact is maintained with the back of each tile. Tiles to be fixed within 15 minutes of adhesive being applied, depending on the porosity of the surface and atmospheric conditions.

Leave adequate joints between individual wall and floor tiles.

Clean off surplus adhesive from the tile & joints.

SIZES 

Part A- 8 Kg
Part B- 2 Kg

COLORS 

White

AREA OF USE 

Marble, Granite &
Natural stones



DUSH SPN 1650 2 +1 - EPOXY FOR GENERAL PURPOSE

DESCRIPTION

DUSH SPN1650 is the best filling adhesive and sealant made from a dual component epoxy system mainly recommended for beige & light shades of grey marble. The product acts as a protective layer against UV rays despite being transparent. Professionals use it to fill air cracks and pin holes. It keeps the stone from staining and ensures the polish remains on the surface.

INSTRUCTIONS TO USE

Clean the marble surface by removing all dust and dirt.

Mix the two components Epoxy and Hardener in 100(Resin):50(Hardner) ratio.

Apply the mixture on the cleaned surface with putty blade thoroughly to fill cracks and pin holes.

Allow it to dry for 24 hours and continue with next steps.

SIZES 

COLORS 

AREA OF USE 

3 Kg Set

Transparent

Marble & Granite



DUSH BCC 0815 4+1 - INVISIBLE EPOXY

DESCRIPTION

DUSH BCC 0815 is exclusively meant for white shades of marble stone. The Epoxy system is known for its low viscosity and self-leveling characteristics. It is a transparent sealant that is a ready made adhesive for filling tiny holes. It is capable of enhancing the overall appearance of the surface of a natural stone.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Mix the two components Epoxy and Hardener in 100(Epoxy):25(Hardner) ratio.

Apply the mixture on the cleaned surface with putty blade thoroughly to fill cracks and pin holes.

Allow it to dry for 24 hours and continue with next steps.

SIZES 

COLORS 

AREA OF USE 

5 Kg Set

White

Marble

1.250 Kg Set



DUSH BCR 601 4+1

DESCRIPTION

DUSH BCR 601 is exclusively meant for lighter shades of marble stone. The Epoxy system is known for its low viscosity and self-leveling characteristics. It is a transparent sealant that is a ready made adhesive for filling tiny holes. It is capable of enhancing the overall appearance of the surface of a natural stone.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Mix the two components Epoxy and Hardener in 100(Epoxy):25(Hardner) ratio.

Apply the mixture on the cleaned surface with putty blade thoroughly to fill cracks and pin holes.

Allow it to dry for 24 hours and continue with next steps.

SIZES 

1.250 Kg Set

5 Kg Set

COLORS 

White

AREA OF USE 

Marble



DUSH BCR 4+1

DESCRIPTION

DUSH BCR 4+1 This product works on medium to dark color of marble stone. The Epoxy system is known for its low viscosity and self-leveling characteristics. It is a transparent sealant that is a readymade adhesive for filling tiny holes. It is capable of enhancing the overall appearance of the surface of a natural stone.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Mix the two components Epoxy and Hardener in 100(Epoxy):25(Hardner) ratio.

Apply the mixture on the cleaned surface with putty blade thoroughly to fill cracks and pin holes.

Allow it to dry for 24 hours and continue with next steps.

SIZES 

5 Kg Set

1.250 Kg Set

COLORS 

White

AREA OF USE 

Marble



DUSH DU SAFE - WATER BASED REAR SIDE PROTECTION SEALER

DESCRIPTION

DUSH DU SAFE is a water based back side sealer, It is to be applied before the marble installtion on back side of the marble, It is a product which protects stone from back side to stop dampness due to rising of salts. It also helps in to better adhesion between marble & mortar.

INSTRUCTIONS TO USE

Clean the surface by removing all dust and dirt.

Apply the undiluted product on the back of the tile or materials and let it dry for some time.

Repeat second coat as per porosity of the stone.

Lay the marble after second coat dries.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Marble & Granite



DUSH MAGNA SEAL - SOLVENT BASED GRADE PRE TREATMENT SEALER

DESCRIPTION

DUSH MAGNA SEAL is a water repellent with low viscosity based on silanic oligomers mixed with hydro carbonic solvents; this product deeply penetrates stone materials and all absorbent building materials, such as Marble, Granite, Terracotta, Natural stones, Travertine, Agglomerates, Concrete. MAGNA SEAL is solely for all side application before installation, in internal and external area which reduces rising damp thus inhibiting formation of saline surface efflorescence.

INSTRUCTIONS TO USE

Surface must be clean and completely dry.

Apply undiluted product on all six sides with paintbrush, cotton cloth, mop or low-pressure sprayer on surface evenly.

Use the right quantity that the material that can be absorbed naturally.

After 15-20 minutes of application wipe off the excess with an absorbent cloth.

Repeat second coat as per porosity of the stone.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Marble & Granite



DUSH HIDRO SST - ALL SIX SIDE SEALER

DESCRIPTION

DUSH HIDRO SST is a versatile product suitable to be used as sealer for all six side of the Marble, it gives protection against rising humidity and salt. It is highly recommended when installing floor materials that require a high performance protection from rising humidity and salt, which will eventually damage unprotected stone surfaces.

Dush HIDRO SST is a high performance back side sealer for the protection of polished or rough marble, granite and natural stone, especially for the very soft, delicate & luxury stones. Its specific ecological formulation allows the product to be applied to all six sides, which guarantees a durable surface protection from water, dirt and oil/grease based substances. Compatible on humid or damp surfaces, therefore saving time during application process.

INSTRUCTIONS TO USE

Surface must be clean and completely dry.

Apply undiluted product on all six sides with paintbrush, cotton cloth, mop or low-pressure sprayer on surface evenly.

Use the right quantity that the material that can be absorbed naturally.

After 15-20 minutes of application wipe off the excess with an absorbent cloth.

Repeat second coat as per porosity of the stone.

Let it dry for 24 hours and proceed with laying.

SIZES 

1000 ml

COLORS 

Clear

AREA OF USE 

Marble, Granite & Natural stones



DUSH WETLOOK SILK - COLOR ENHANCER SEALER

DESCRIPTION

DUSH WETLOOK SILK is the ideal product to develop an intense and long lasting wet effect and to emphasize the veins and the natural color of any kind of porous stone such as marble, Granite and natural stone.

DUSH Wet look Silk is a solvent based product aimed to protect natural stones surfaces from water and dirt penetration, frost damage and to stop calcareous efflorescence. Wet look Silk makes surface UV resistant, stain resistant, water and dirt resistant.

INSTRUCTIONS TO USE

Surface must be clean, dry and free from traces of any substance.

Apply with paintbrush, cotton cloth, or low-pressure sprayer on surface evenly.

Allow the material absorb the product as per natural porosity of the stone.

Wipe off the excess product with an absorbent cloth.

Do not walk on the treated surface, preferably for 24 hours, but for at least 5-6 hours.

SIZES 

1000 ml

COLORS 

Clear

AREA OF USE 

Granite & Marble



DUSH WET SEAL - COLOR ENHANCEMENT SEALER FOR NATURAL STONES

DESCRIPTION

DUSH WET SEAL is the ideal product to develop an intense and long-lasting wet effect and to emphasize the veins and the natural colors of any kind of porous stone such as marble, granite and natural stone.

INSTRUCTIONS TO USE

Surface must be clean, dry and free from traces of any substance.

Apply with paintbrush, cotton cloth, or low-pressure sprayer on surface evenly.

Allow the material absorb the product as per natural porosity of the stone.

Wipe off the excess product with an absorbent cloth.

Do not walk on the treated surface, preferably for 24 hours, but for at least 5-6 hours.

SIZES



1000 ml

COLORS



Clear

AREA OF USE



Marble, Granite &
Natural stones



DUSH DU SPOT OFF - TOP SIDE WATER BASED SEALER

DESCRIPTION

DUSH DU SPOT OFF is a water-based water and oil-repellent sealer, it is an one-component product for medium and high porosity surface; conservative product for depth and surface; non-filmogenic treatment, it belongs to the new generation of water-based fluorolegants with anti-dust properties; it penetrates deeply into building materials, protecting them from the absorption of water, leaving the materials completely breathable. The product reduces greatly the absorption of liquid, oily or fatty substances, and does not alter normally the natural appearance of terracotta and natural stones, making the cleaning simpler.

INSTRUCTIONS TO USE

The natural stone surface to be treated must be clean, dry and absorbent cloth.

It is recommended to test the product on a small area for desired result.

Do not use on wet, humid or outdoor material in case of expected rains.

Apply the product on the surface and let the material absorb the product according to its natural porosity; rub gently to aid impregnation.

After 30 to 45 minutes remove excess of product from the surface.

Avoid using the surface preferably for 24 hours but not less than 6 hours.

SIZES



1 Ltr.

COLORS



Clear

AREA OF USE



Marble, Granite &
Natural stones



DUSH PROTEK + - TOP SIDE SOLVENT SEALER FOR WHITE MARBLE

DESCRIPTION

DUSH PROTEK + is a DIY product, It is highly recommended for areas such as bathrooms, kitchen counter tops, table tops. It protects the surface from tea, coffee, hot water stains. It works by impregnation and does not form any layer on the surface and does not alter the polish and color of the surface. It is the finest solution to protect all types of White marble. It can be applied to both polished or natural surfaces.

INSTRUCTIONS TO USE

Surface should be clean dry and dust free.

Spread the product, with a cotton cloth, paint brush/pad or low-pressure sprayer on the surface evenly

After 15 to 20 minutes from the application, remove the excess product from the surface.

Repeat the application 2 -3 times depending on the absorption capacity of the stone.

Avoid walking on the treated surface for 24 hours.

SIZES 

COLORS 

AREA OF USE 

1000 ml

Clear

Marble, Granite &
Natural stones



DUSH BONITA - PROTECTIVE SEALER FOR MARBLE

DESCRIPTION

DUSH BONITA is a sealer, developed and optimized for surface protection of marble, granite and natural stones, this sealer prevents the penetration of the liquids of oily and watery character without any change to the natural appearance of the treated material. It also strongly binds the surface against stains.

INSTRUCTIONS TO USE

Surface should be clean, dry and dust free.

Spread the product, with a cotton cloth, paint brush/pad or low-pressure sprayer on the surface evenly.

After 15 to 20 minutes from the application, remove the excess product from the surface.

Repeat the application 2-3 times depending on the absorption capacity of the stone.

Avoid walking on the treated surface for 24 hours.

SIZES 

COLORS 

AREA OF USE 

1000 ml

Clear

Marble, Granite &
Natural stones



DUSH NITRO GLOW - HEAVY DUTY CLEANER

DESCRIPTION

DUSH NITRO GLOW is a heavy-duty cleaner to remove all kind of concrete dirt accumulated during the construction on granite and natural stone. This product can also be used to clean the old buildings, façade etc. This cleans the granite without damaging, it can be used on polished or flamed surface.

INSTRUCTIONS TO USE

Apply diluted or undiluted product on surface depending on the density of the accumulated dirt.

Let the product work for 15 - 20 minutes, scrub with a brush and rinse thoroughly with clean water till every trace of product is eliminated.

Apply an impregnator/protecting product, if needed.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Granite & Natural stones



DUSH OXI FRESH - CLEANING SYSTEM FOR GRANITE

DESCRIPTION

DUSH OXI FRESH is a cleaner of acidic properties, it removes calcareous layers and other mineral deposits. It works excellently in removing the construction yard dirt and saline encrustations. It helps in better penetration of the protecting sealers by opening the penetrability of the material.

INSTRUCTIONS TO USE

Apply diluted or undiluted product on surface depending on the density of the accumulated dirt.

Let the product work for 15 - 20 minutes, scrub with a brush and rinse thoroughly with clean water till every trace of product is eliminated.

Apply an impregnator/protecting product, if needed.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Granite



DUSH ALKA CLEANER - ALKALINE BASE CLEANER

DESCRIPTION

DUSH ALKA CLEANER is a very deeply concentrated cleaner for intense cleaning of oils, grease and other tough stains from marble, granite, natural stones, tiles, and terracotta. Does not alter the gloss of the marble. It is very suitable for cleaning of environmental dirt like black layers, smog from walls. It is extremely easy to rinse due to lack of foam.

INSTRUCTIONS TO USE

Apply the diluted product to surface and let the product work.

Rub the surface with mop brush and rinse thoroughly with clean water till all traces of the product are removed, especially, if an impregnator/protecting product is to be applied on the surface.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Marble & Granite



DUSH SPARKLE PHASE - GENERAL PURPOSE CLEANER

DESCRIPTION

DUSH SPARKLE PHASE is highly recommended for daily maintenance of marble, does not contain any harsh cleaning substances, it makes a thin protective layer which helps brightens the surface and helps in subsequent maintenance along with protecting the sheen. Just mix 2-3 caps of solution in half bucket of water and use as a normal floor cleaner.

INSTRUCTIONS TO USE

Use 3-4 capful in half a bucket of water (4 litres).

Gently mop the surface. No need to rinse.

Kitchen Surfaces: Use undiluted. Apply on dirty area, leave for 10 minutes and rinse.

Safe on all surfaces: Marble Granite, Ceramic etc.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Marble & Granite



DUSH STAIN-EX - MARBLE STAIN REMOVER

DESCRIPTION

DUSH STAIN-EX is specifically developed to remove the yellowish stains resulting due to reaction of the other elements like wood, ink and food items into the marble. It is usually required to remove stains yellow stains on marble near door frames and bathroom.

INSTRUCTIONS TO USE

Apply undiluted product on stain area.

Cover with a transparent plastic sealed by masking tape.

Allow it to works 24 hours. In normal conditions it can be used on polished surface.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Marble



DUSH DURUX - GRANITE RUST REMOVER

DESCRIPTION

DUSH DURUX is a rust remover specifically invented to remove yellowish stains resulting due to oxidation of the elements into the material or into the formation of any kind of material. It should be used to remove yellow rust from all types of granite.

INSTRUCTIONS TO USE

Apply the product on the surface using a paintbrush and let it work for 30 minutes to 3 hours depending on the fading of the stain.

Rinse the surface with clean water thoroughly.

Careful rinsing is important when the treatment will follow the application of a protective or impregnating product.

SIZES 

1 Ltr.

COLORS 

Clear

AREA OF USE 

Granite



DUSH GLAZE CHEM

DESCRIPTION

DUSH GLAZE CHEM is a high grade special formula developed for beige and other dark color marble to protect marble from dirt, dampness, patches, and stains. It helps to cover porosity of marble on maximum and makes stone harder. It also enhances its natural color. It does not allow Marble to look fade with the time and heavy usage. DUSH Glaze Chem is a product with a specific formula which allow to penetrate deeper in to the Marble and treat porosity at maximum which results in very high sheen for long term.

INSTRUCTIONS TO USE

Surface should be clean, dry and dust free.

Product should be used undiluted on the surface, spread the product by using the wiper and let the surface completely absorb the solution.

Since the porosity of the marble is at the maximum level at grinding stage, this product should be applied repetitively until it stops penetrating into the marble. It treats all micro holes and fissures which eventually helps the marble achieve the finest gloss possible. The result is the floor that is more durable, easier to clean, and more resistant to damage from water and mild chemicals.

SIZES 

20 Ltr.

COLORS 

Clear

AREA OF USE 

Marble



DUSH WONDER LINK

DESCRIPTION

DUSH WONDER LINK is a premium densifier for marble, granite and other stones. It is specially formulated to treat stone porosity; as a result it protects stone from all kind of dirt, rust, dampness & stains. It helps to give stone a desired level of hardness, also protects natural color of the stone for a longer period, it works by penetrating in to the stone to seal micro fissures and helps to give a long durable gloss with stain free effect.

INSTRUCTIONS TO USE

Surface should be clean, dry and dust free. Product should be used undiluted on the surface, spread the product by using the wiper and let the surface completely absorb the solution.

Since the porosity of the marble is at the maximum level at grinding stage, this product should be applied repetitively until it stops penetrating into the marble. It treats all micro holes and fissures which eventually helps the marble achieve the finest gloss possible. The result is the floor that is more durable, easier to clean, and more resistant to damage from water and mild chemicals.

Main advantages of this product are:

Easy to apply
Suitable for all types of marble
Eco friendly product devoid of any harmful chemicals
Protection against stains
Treated surface is denser and more durable

SIZES 

20 Ltr.

COLORS 

Clear

AREA OF USE 

Marble



DUSH BIANCO WONDER

DESCRIPTION

DUSH BIANCO WONDER is a nano technology-based formula developed for very high porosity marble, to protect marble from dirt, dampness, patches and stains. It helps to cover porosity of marble on maximum and makes stone harder also enhance its natural color and gloss. It does not allow marble to look fade with the time and heavy usage. It works by penetrating in to marble and seals micro fissures and make stone harder with high gloss.

INSTRUCTIONS TO USE

Surface should be clean, dry and dust free. Product should be used undiluted on the surface, spread the product by using the wiper and let the surface completely absorb the solution.

Since the porosity of the marble is at the maximum level at grinding stage, this product should be applied repetitively until it stops penetrating into the marble. It treats all micro holes and fissures which eventually helps the marble achieve the finest gloss possible. The result is the floor that is more durable, easier to clean, and more resistant to damage from water and mild chemicals.

Main advantages of this product are:

- Easy to apply
- Suitable for all types of marble
- Eco friendly product devoid of any harmful chemicals
- Protection against stains
- Treated surface is denser and more durable

SIZES 

20 Ltr.

COLORS 

Clear

AREA OF USE 

Marble



DUSH FABIO 40

DESCRIPTION

DUSH FABIO 40 is a nano technology-based formula developed for very high porosity marble, to protect marble from dirt, dampness, patches and stains. It helps to cover porosity of marble on maximum and makes stone harder also enhance its natural color and gloss. It does not allow marble to look fade with the time and heavy usage. It works by penetrating in to marble and seals micro fissures and provides very high gloss.

INSTRUCTIONS TO USE

Surface should be clean, dry and dust free. Product should be used undiluted on the surface, spread the product by using the wiper and let the surface completely absorb the solution.

Since the porosity of the marble is at the maximum level at grinding stage, this product should be applied repetitively until it stops penetrating into the marble. It treats all micro holes and fissures which eventually helps the marble achieve the finest gloss possible. The result is the floor that is more durable, easier to clean, and more resistant to damage from water and mild chemicals.

Main advantages of this product are:

- Easy to apply
- Suitable for all types of marble
- Eco friendly product devoid of any harmful chemicals
- Protection against stains
- Treated surface is denser and more durable

SIZES 

20 Ltr

COLORS 

Clear

AREA OF USE 

Marble



DUSH LIQUID CERA - LIQUID WAX

DESCRIPTION

DUSH LIQUID CERA is high quality polished product to give extra gloss to marble. It is a specially formulated product to give long term gloss to the surface and does not form extra layer on the surface.

INSTRUCTIONS TO USE

Spread DUSH LIQUID CERA on the surface by means of a cloth.

After a few minutes buff with floor machine using a fine pad, steel wool pad or with a soft and dry cloth.

SIZES

1 Ltr.

COLORS

Clear

AREA OF USE

Marble & Granite



DUSH YELLOW POWDER

DESCRIPTION

DUSH YELLOW POWDER This product is in powder form, is recommended for polishing of marble. Since this product is made by use of high-quality abrasives, an excellent polish is imminent. As this powder is free from chemical polish ingredients, it does not leave any acidic marks on the surface. This powder contains abrasive substances which helps to cover even smallest of imperfections on the surface.

INSTRUCTIONS TO USE

Carefully clean the surface and remove any kind of the dirt. Apply 20 to 40 grams of product per square meter (about 1-2 tablespoons) and dampen the area by spraying the water till it obtain a texture of creamy consistency.

Buff the milky/creamy texture with continuous and constant motion by using the traditional polish machine or single buff machine. Work 2-3 square meters time by time for a more homogeneous polishing.

Friction will cause the water evaporation, spray water to maintain product creamy.

With the drying, the surface becomes shining.

Verify the glossy effect and repeat if necessary.

SIZES

1 Kg.

COLORS

Yellow

AREA OF USE

Marble & Granite



DUSH GLOSSO POWDER

DESCRIPTION

DUSH GLOSSO POWDER is a specially formulated product with thin grain size circulation which helps to achieve a finest polish on the Marble maintaining the hardness of the stone and leaving a long-lasting shine. This product is free from hazardous substances which makes it totally safe for human health and does not leave any burning marks on the used surface. This product is also recommended to restore lost sheen of marble in hotels, malls, all commercial and residential complexes

INSTRUCTIONS TO USE

Carefully clean the surface and remove any kind of the dirt. Apply 20 to 40 grams of product per square meter (about 1-2 tablespoons) and dampen the area by spraying the water till it obtain a texture of creamy consistency.

Buff the milky/creamy texture with continuous and constant motion by using the traditional polish machine or single buff machine. Work 2-3 square meters time by time for a more homogeneous polishing.

Friction will cause the water evaporation, spray water to maintain product creamy.

With the drying, the surface becomes shining.

Verify the glossy effect and repeat if necessary.

SIZES 

500 Gms.

COLORS 

Green

AREA OF USE 

Marble



DUSH LUXEX - EDGE POLISH TREATMENT

DESCRIPTION

DUSH LUXEX is designed to polish the difficult areas like Corners, Edges and areas which can't be polished with traditional polishing machines. This is suitable for all kinds of marble and acts as a water repellent also. Penetrates well in the surface for the long-lasting shine.

INSTRUCTIONS TO USE

Clean the surface of all dust, dirt and moisture.

Using a brush, apply an even layer of LUX ONE on the surface.

Porous surface of the natural stone may need more than ONE coat to get desired result.

Wait a few minutes before polishing with a pad or a cloth for a good gloss finish.

SIZES 

200 ml

COLORS 

Clear

AREA OF USE 

Marble & Granite



DUSH BAC-150 - POLISHING POWDER

DESCRIPTION

DUSH BAC-150 is a polishing powder made with natural resins with exceptionally fine micro grains helps the surface achieve long-lasting and consistent shine. This is an ideal product for increasing and restoring the shine of the marble floors. Prevents frequent crystallization of the floor which can cause change in natural look of the marble. It has a very balanced formula which allows faster and economic polishing on the marble floors.

INSTRUCTIONS TO USE

Carefully clean the surface and remove any kind of the dirt. Apply 20 to 40 grams of product per square meter (about 1-2 tablespoons) and dampen the area by spraying the water till it obtain a texture of creamy consistency.

Buff the milky/creamy texture with continuous and constant motion by using the traditional polish machine or single buff machine. Work 2-3 square meters time by time for a more homogeneous polishing.

Friction will cause the water evaporation, spray water to maintain product creamy.

With the drying, the surface becomes shining.

Verify the glossy effect and repeat if necessary

SIZES 

COLORS 

AREA OF USE 

500 Gms.

Lemon Yellow

Marble



DUSH ERA WHITE

DESCRIPTION

DUSH ERA WHITE is a cement based adhesive is used for fixing of vitrified, ceramic tiles on wall and any other vertical surface, it has features like, high strength bonding, waterproof effect, fast settling, non yellowing, it is suitable for both internal and external applications.

INSTRUCTIONS TO USE

All surfaces must be clean, dry, free from dust, grease, wax, oil, laitance, curing compounds and all other contaminants likely to prevent the adhesive bonding. Concrete should be allowed to cure for at least 30 days and cement render 8 days prior to tiling.

10 kg of Dush Era White powder requires approximately 2.5 liters of water which produces 7 liters of mixed product.

Add a measured amount of clean water into a clean container and sprinkle Era powder slowly into the liquid which constant stirring.

Eliminate lumps.

Mix to thick toothpaste consistency. Allow standing for 2 minutes then remixing.

The adhesive is now ready to use. Apply the mixed adhesive to the prepared substrate using the appropriate notched trowel for the size of the tile, Marble & Natural Stone being laid.

A minimum of 1mm bed thickness for walls and 3mm for floors must be achieved.

Ensure that the bedded tiles are fully supported by the adhesive with no voids underneath or behind. Lay tiles onto the adhesive before it skins.

The adhesive may also need to be applied to the back of the tiles to accommodate the required levels. Do not disturb tiles till the adhesive has dried.



SIZES

20 Kg

COLORS

White
Regal grey
Snow White
Dove Grey

AREA OF USE

Marble, Granite,
Tiles & Natural stones



Lucidatore di marmo
kit di
marmolucidatura



Born in Italy

Pareti e
pavimentisicuri

MIRACLE MARBLE

Enhancer.



Products by: **VITO**[®]

ITALY 

Via Enzo Ferrari 68 – 62012,
Civitenova Marche (MC), ITALY.

+ 39 045 7860135

info@dushproducts.com

INDIA 

24/1, BTS Main Road,
Bannerghatta Road, Bangalore 560030.

Toll Free | 1800 8910 133

info@stonetoolsandchemicals.com

 www.dushproducts.com

