



DUSH WETLOOK SILK

SIZES ①

COLORS 🥠

AREA OF USE

1000 ml

Clear

Marble, Granite & Natural stones

PHYSICAL STATE

Liquid

COLOUR

Colourless


RELATIVE DENSITY

0.785

DESCRIPTION:

DUSH Wet look Silk is the ideal product to develop an intense and long lasting wet effect and to emphasize the veins and the natural color of any kind of porous stone such as marble, Granite and natural stone. DUSH Wet look Silk is a solvent based product aimed to protect natural stones surfaces from water and dirt penetration, frost damage and to stop calcareous efflorescence. Wet look Silk makes surface UV resistant, stain resistant, water and dirt resistant.

Product Application Photo:









DUSH WETLOOK SILK

INSTRUCTIONS TO USE:

1. Surface must be clean, dry and free from traces of any substance. Apply with paintbrush, cotton cloth, or low-pressure sprayer on surface evenly. Allow the material absorb the product as per natural porosity of the stone. Wipe off the excess product with an absorbent cloth. Do not walk on the treated surface, preferably for 24 hours, but for at least 5-6 hours.

FEATURES AND BENEFITS:

Intense Wet Effect: Enhances and emphasizes the natural beauty and veins of porous stones like marble, granite, and natural stone.

Solvent-Based: Provides deep, long-lasting protection.

Resistant: Guards against water, dirt, frost, UV rays, and stains. Efflorescence Prevention: Stops calcareous deposits.

Durability: Extends the life of stone surfaces.

Easy Maintenance: Keeps surfaces clean and maintained.

PRECAUTIONS AND NOTES:

- 1. Wear Hand Gloves.
- 2. Keep Out of Reach of Children.
- 3. Keep the application area enough ventilated.
- 4. Keep the product closed after usage and away from sunlight.
- 5. Always test the product before use.



DUSH WETLOOK SILK

HANDLING & SHELF-LIFE:

Keep the tins closed and stored in a cool and ventilated environment at a temperature of 28-35 °C, away from the source of heat. Best Before 12 months.

SAFETY RULES:

Keep the application area enough ventilated. Keep the tins closed after usage and away from sunlight. Please read carefully the safety data sheet before usage. Always test the product before use.

TECHNICAL INFORMATION:

PHYSICAL STATE | Liquid

COLOUR | Colourless

RELATIVE DENSITY | 0.785

CHARACTERISTICS OF PRODUCT	
APPERANCE	Liquid Transparent
ODOUR	Typical

DUSH = • =

Toll Free No: 18008910133, E-MAIL: india@dushproducts.com

Website: dushproducts.com

Italy = =

Via Roma, 2 Lancenigo di Villorba-31020, Treviso(TV) ITALY

DISCLAMIER:

Before using any Dush products, test on a small, inconspicuous area to ensure compatibility and understand the application process. Results may vary based on application methods, surface conditions, and climate factors such as temperature and humidity. While Dush aims to provide high-quality products, we cannot guarantee specific results due to these variables. By using Dush products, you acknowledge and accept that Dush shall not be held liable for any damage or unsatisfactory results arising from their use or misuse.