

DUSH RESINA 2604



SIZES

5 Kg

COLORS

Transparent

AREA OF USE

Marble & Granite

COMPONENT A

PHYSICAL STATE

Liquid

COLOUR

Transparent

DESCRIPTION:

DUSH RESINA 2604 is the ideal transparent clear resin solution for joint and crack filling in marble, especially beige and dark varieties. Perfect for filling natural holes in travertine stone, its water-clear transparency remains consistent even after drying. This versatile resin can be pigmented to match any marble shade, making it suitable for various natural stones like marble and granite.

Product Application Photo:



INSTRUCTIONS TO USE:

1. Clean the surface of natural stone of all dust and dirt.
2. Surface should be completely dried.
3. Take required quantity of 'resin' and add '1% to 3% catalyst' depending on usage conditions.
4. Mix the two components well and apply to get a perfect surface.

FEATURES AND BENEFITS:

1. **Transparent Clarity:** Provides a water-clear transparency that remains consistent after drying, ensuring seamless repairs in marble and travertine.
2. **Pigment Versatility:** Can be easily pigmented to match any shade of marble, thanks to its polyester pigment component, allowing for precise color matching.
3. **Ideal for Travertine:** Effectively fills natural holes and cracks in travertine, enhancing the stone's appearance while maintaining its natural look.
4. **Multi-Stone Application:** Suitable for use on various natural stones, including marble and granite, offering a versatile solution for stone repair and maintenance.
5. **Durable and Reliable:** Ensures long-lasting repairs that blend seamlessly with the stone, maintaining the integrity and aesthetics of marble, travertine, and other natural stones.

PRECAUTIONS AND NOTES:

1. Wear Hand Gloves.
2. Keep Out of Reach of Children.
3. Keep the application area enough ventilated.
4. Keep the product closed after usage and away from sunlight.
5. Always test the product before use.

HANDLING & SHELF-LIFE:

Keep the tins closed and stored in a cool and ventilated environment at a temperature of 28-35 °C, away from the source of heat. Best Before 12 months.

SAFETY RULES:

Keep the application area enough ventilated. Keep the tins closed after usage and away from sunlight. Please read carefully the safety data sheet before usage. Always test the product before use.

TECHNICAL INFORMATION :

COMPONENT A

PHYSICAL STATE		Liquid
COLOUR		Transparent

CHARACTERISTICS OF PRODUCT

Aspect of Product	Liquid Clear
Viscosity at 23°C	400-500mPa·s

DUSH 

Toll Free No: 18008910133, E-MAIL: india@dushproducts.com

Website: dushproducts.com

Italy 

Via Roma, 2 Lancenigo di Villorba-31020, Treviso(TV) ITALY

DISCLAMIER:

Before using any Dush products, test on a small, inconspicuous area to ensure compatibility and understand the application process. Results may vary based on application methods, surface conditions, and climate factors such as temperature and humidity. While Dush aims to provide high-quality products, we cannot guarantee specific results due to these variables. By using Dush products, you acknowledge and accept that Dush shall not be held liable for any damage or unsatisfactory results arising from their use or misuse.