

# DUSH WETLOOK

## SAFETY DATA SHEET (SDS / MSDS)

*Solvent-Based Wet-Look Sealer / Surface Enhancer*

|                     |                                    |                               |               |
|---------------------|------------------------------------|-------------------------------|---------------|
| <b>Version</b>      | 1.4                                | <b>Issue Date</b>             | 30 April 2022 |
| <b>Product Form</b> | Liquid                             | <b>Pack Size</b>              | 1 litre       |
| <b>Intended Use</b> | Wet-look sealer / surface enhancer | <b>Country of Manufacture</b> | Italy         |

This Safety Data Sheet contains the current safety, handling and technical information for Wetlook.

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

|                                                 |                                                                                                                                   |
|-------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Product identifier</b>                       | DUSH Wetlook                                                                                                                      |
| <b>Product type</b>                             | Solvent-based surface sealer / wet-look enhancer.                                                                                 |
| <b>Recommended use</b>                          | Enhancement and protection of polished marble, granite and other porous natural-stone surfaces; wet-effect finish.                |
| <b>Uses advised against</b>                     | Uses other than those recommended in the current product TDS.                                                                     |
| <b>Brand</b>                                    | DUSH                                                                                                                              |
| <b>Address</b>                                  | Via Roma, 2, Lancenigo di Villorba - 31020, Treviso (TV), Italy                                                                   |
| <b>Manufactured/Packed/Imported in India by</b> | Elite Collection INC                                                                                                              |
| <b>Manufacturer / Importer Address</b>          | 1st Floor, 683, 15th Cross Road, Jeewan Griha Colony, 2nd Phase, J.P. Nagar, Bengaluru - 560078, Karnataka, India                 |
| <b>Telephone</b>                                | Toll Free: 18008910133                                                                                                            |
| <b>E-mail</b>                                   | <a href="mailto:info@dushproducts.it">info@dushproducts.it</a> / <a href="mailto:info@dushproducts.com">info@dushproducts.com</a> |
| <b>Website</b>                                  | <a href="http://dushproducts.it">dushproducts.it</a> / <a href="http://dushproducts.com">dushproducts.com</a>                     |

### 2. HAZARD IDENTIFICATION

|                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>GHS / CLP classification</b> | Flammable liquid, Category 3 (H226); Aspiration hazard, Category 1 (H304); Hazardous to the aquatic environment - Chronic, Category 2 (H411); Acute toxicity, Category 4 - inhalation (H332); Specific target organ toxicity - single exposure, Category 3 (H335/H336).                                                                                                                                                                |
| <b>Signal word</b>              | DANGER                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Hazard pictogram</b>         |  GHS02 – Flame;  GHS07 - Exclamation Mark;  GHS08 - Health Hazard;  GHS09 - Environment. |
| <b>Hazard statements</b>        | H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H411 Toxic to aquatic life with long lasting effects.                                                                                                                                                                                     |
| <b>Precautionary statements</b> | Keep container tightly closed. Use adequate ventilation. Avoid unnecessary skin and eye contact and vapour exposure. Wear suitable protective gloves and eye protection.                                                                                                                                                                                                                                                               |

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Ingredient / component       | CAS No.     | Concentration |
|------------------------------|-------------|---------------|
| <b>Formulation / mixture</b> | Proprietary | 100%          |

#### 4. FIRST-AID MEASURES

|                     |                                                                                                                                          |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation</b>   | Move to fresh air; seek medical attention if symptoms persist.                                                                           |
| <b>Skin contact</b> | Wash thoroughly with soap and plenty of water; remove contaminated clothing.                                                             |
| <b>Eye contact</b>  | Rinse cautiously with clean water for at least 15 minutes; remove contact lenses if easy; seek medical attention if irritation persists. |
| <b>Ingestion</b>    | Rinse mouth. Do not induce vomiting unless directed by medical personnel. Seek medical advice if unwell.                                 |

#### 5. FIRE-FIGHTING MEASURES

|                                     |                                                                                                                                   |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b> | Water spray, carbon dioxide, dry chemical or suitable foam.                                                                       |
| <b>Specific hazards</b>             | Heating or burning may generate smoke and irritating or harmful decomposition products. Keep away from heat and ignition sources. |
| <b>Protective equipment</b>         | Use appropriate protective clothing and self-contained breathing apparatus where necessary.                                       |

#### 6. ACCIDENTAL RELEASE MEASURES

|                                  |                                                                                                                                      |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| <b>Personal precautions</b>      | Provide adequate ventilation; avoid skin/eye contact and unnecessary inhalation of vapours or mist; use suitable PPE.                |
| <b>Environmental precautions</b> | Prevent uncontrolled release to drains, soil, rivers or waterways.                                                                   |
| <b>Containment and clean-up</b>  | Contain and absorb with dry earth, sand or another suitable inert absorbent; place in a labelled container for appropriate disposal. |

#### 7. HANDLING AND STORAGE

|                             |                                                                                                                                                               |
|-----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Safe handling</b>        | Use on a clean, dry surface. Apply by brush, cotton cloth or low-pressure sprayer; allow absorption and wipe excess.                                          |
| <b>Mixing / application</b> | For highly absorbing stone, a second coat may intensify the wet effect. Do not walk on treated surface for 5–6 hours; complete result approximately 24 hours. |
| <b>Storage conditions</b>   | Keep tightly closed in a cool, ventilated environment at 28–35 °C, away from heat and direct sunlight.                                                        |
| <b>Shelf life</b>           | 12 months.                                                                                                                                                    |

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

|                               |                                                                                                                     |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Engineering controls</b>   | Provide sufficient general ventilation; use local exhaust where vapours or mist may be generated.                   |
| <b>Respiratory protection</b> | Use suitable respiratory protection if adequate ventilation cannot be maintained or vapour/mist exposure may occur. |
| <b>Eye / face protection</b>  | Safety glasses or suitable eye protection where splashing may occur.                                                |
| <b>Hand protection</b>        | Suitable chemical-resistant protective gloves.                                                                      |
| <b>Hygiene measures</b>       | Wash hands after handling. Do not eat, drink or smoke while using.                                                  |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                  |                                                |
|------------------|------------------------------------------------|
| Physical state   | Liquid                                         |
| Appearance       | Clear / transparent liquid                     |
| Odour            | Solvent                                        |
| Flammability     | Flammable liquid and vapour.                   |
| Relative density | 0.89                                           |
| Viscosity        | Ford cup viscosity: 80 sec                     |
| Flash point      | 44 °C                                          |
| Solubility       | Soluble in water / Comparable organic solvents |

## 10. STABILITY AND REACTIVITY

|                                  |                                                                                                                         |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Reactivity                       | Stable under normal recommended conditions of use and storage.                                                          |
| Chemical stability               | Stable under recommended handling and storage conditions.                                                               |
| Conditions to avoid              | Heat, direct sunlight, excessive temperature and ignition sources.                                                      |
| Incompatible materials           | Avoid strong oxidising agents and materials identified as incompatible by formulation-specific technical documentation. |
| Hazardous decomposition products | Thermal decomposition/combustion may generate smoke and irritating or harmful products.                                 |

## 11. TOXICOLOGICAL INFORMATION

|                           |                                                                                                                                          |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Likely routes of exposure | Inhalation of vapours/mist, skin contact, eye contact and accidental ingestion.                                                          |
| Acute effects             | Harmful if inhaled. Avoid prolonged skin contact and eye contact.                                                                        |
| Respiratory effects       | Exposure may cause respiratory irritation, headache, dizziness or drowsiness.                                                            |
| Additional information    | Aspiration after swallowing may cause serious lung injury.                                                                               |
| Most important symptoms   | Exposure may cause respiratory irritation, headache, dizziness or drowsiness. Aspiration after swallowing may cause serious lung injury. |

## 12. ECOLOGICAL INFORMATION

|                  |                                                                                    |
|------------------|------------------------------------------------------------------------------------|
| Ecotoxicity      | Toxic to aquatic life with long lasting effects. Avoid release to the environment. |
| Mobility in soil | Prevent release to soil and waterways.                                             |
| Precaution       | Avoid release into drains, soil, surface water or natural waterways.               |

## 13. DISPOSAL CONSIDERATIONS

|                  |                                                                                                                     |
|------------------|---------------------------------------------------------------------------------------------------------------------|
| Product disposal | Dispose through an authorised waste-management route in accordance with applicable local and national requirements. |
| Packaging        | Handle and dispose of empty containers according to applicable local requirements.                                  |

|                        |                                                                |
|------------------------|----------------------------------------------------------------|
| <b>Waste treatment</b> | Do not discharge product or residues into drains or waterways. |
|------------------------|----------------------------------------------------------------|

#### 14. TRANSPORT INFORMATION

|                                 |                                                                                                                                                           |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Transport classification</b> | Regulated as dangerous goods under ADR/RID, IMDG and IATA.                                                                                                |
| <b>UN number</b>                | UN 3295                                                                                                                                                   |
| <b>UN proper shipping name</b>  | ADR: HYDROCARBONS, LIQUID, N.O.S., ENVIRONMENTALLY HAZARDOUS. – IMDG: HYDROCARBONS, LIQUID, N.O.S., MARINE POLLUTANT – IATA: HYDROCARBONS, LIQUID, N.O.S. |
| <b>Transport hazard class</b>   | Class 3 – Flammable liquids                                                                                                                               |
| <b>Packing group</b>            | III                                                                                                                                                       |
| <b>Environmental hazards</b>    | Environmentally hazardous. Marine pollutant: Yes                                                                                                          |
| <b>Transport precautions</b>    | Warns of flammable liquids; specifies securely closed, upright containers and protection from heat, ignition sources and physical damage                  |
| <b>Special precautions</b>      | Keep packages dry, securely closed and protected from rupture and moisture ingress during transport.                                                      |

#### 15. REGULATORY INFORMATION

|                          |                                                                                                                                                             |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Regulatory status</b> | Handle, store, transport and dispose of product in accordance with applicable Indian requirements. Users/distributors are responsible for local compliance. |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|

#### 16. OTHER INFORMATION

|                             |                                                                                                                                                                                                             |
|-----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product information</b>  | Solvent-based product intended to create a wet effect and enhance the natural colour of porous stone such as marble and granite.                                                                            |
| <b>Performance</b>          | Protection against water, dirt and moisture damage; UV resistance; stain resistance; wet-look colour enhancement; mark resistance and glossy finish.                                                        |
| <b>Application</b>          | Clean/dry surface; apply by brush, cotton cloth or low-pressure sprayer; allow absorption; wipe excess. Second coat may be used on highly absorbing stone.                                                  |
| <b>Drying</b>               | Do not walk on treated surface for 5–6 hours; complete result approximately 24 hours.                                                                                                                       |
| <b>Storage</b>              | 28–35 °C; cool and ventilated; away from heat and sunlight.                                                                                                                                                 |
| <b>Shelf life</b>           | 12 months.                                                                                                                                                                                                  |
| <b>Disclaimer</b>           | This SDS is intended for health, safety and environmental guidance and does not constitute a product-performance warranty. Users are responsible for safe handling, compliance and determining suitability. |
| <b>Revision</b>             | Version 1.4                                                                                                                                                                                                 |
| <b>Issue date</b>           | 30 April 2022                                                                                                                                                                                               |
| <b>Emergency contact</b>    | Toll Free: 18008910133                                                                                                                                                                                      |
| <b>Manufacturer contact</b> | Elite Collection INC   india@dushproducts.com   dushproducts.com                                                                                                                                            |

**General statement:** The information in this Safety Data Sheet is provided for safe handling, storage, transport and use of the product under normal conditions. Users should follow the product Technical Data Sheet and applicable workplace and environmental requirements.